c.) Amendments to the Claims

1.	(Curre	ently Amended) An isolated nucleic acid molecule selected
from the group cons	isting of	
	a)	a nucleic acid molecule comprising a nucleotide sequence
which is at least 75%	% homol	logous to a nucleotide sequence of SEQ ID NO:1, SEQ ID
NO:3, the DNA insc	ert of the	e plasmid deposited with ATCC as Accession Number,
or a complement the	ereof;	
	b)	a nucleic acid molecule comprising a fragment of at least 30
nucleotides of a nuc	leic acid	l comprising the nucleotide sequence of SEQ ID NO:1, SEQ ID
NO:3, the DNA inso	ert of the	e plasmid deposited with ATCC as Accession Number
, or a comp	lement (thereof;
	e)	a nucleic acid molecule which encodes a polypeptide
comprising an amin	o acid s	equence at least about 60% homologous to the amino acid
sequence of SEQ II) NO:2 ,	or an amino acid sequence encoded by the DNA insert of the
plasmid deposited v	vith AT(CC as Accession Number; and
	d)	a nucleic acid molecule which encodes a fragment of a
polypeptide compri	sing the	amino acid sequence of SEQ ID NO:2, or the polypeptide
encoded by the DN	A insert	of the plasmid deposited with ATCC as Accession Number
, wherein	the fragi	nent comprises at least 10 contiguous amino acid residues of
the amino acid sequ	ience of	SEQ ID NO:2, or the polypeptide encoded by the DNA insert
of the plasmid depo	osited wi	ith ATCC as Accession Number; and
	e) <u>c)</u>	a nucleic acid molecule which encodes a naturally occurring
allelic variant of a	polypept	ide comprising the amino acid sequence of SEQ ID NO:2, or an
amino acid sequenc	ce encod	ed by the DNA insert of the plasmid deposited with ATCC as

Accession Number _____, wherein the nucleic acid molecule and which hybridizes to a complement of a nucleic acid molecule comprising SEQ ID NO:1 or SEQ ID NO:3 under stringent conditions.

- 2. (Currently Amended) The isolated nucleic acid molecule of claim 1 which comprises is selected from the group consisting of:
 - a) a nucleic acid molecule comprising
- a) the nucleotide sequence of SEQ ID NO:1, SEQ ID NO:3, or the DNA insert of the plasmid deposited with ATCC as Accession Number ______, or a complement thereof; and
- b) a nucleic acid molecule which encodes a polypeptide comprising the amino acid sequence of SEQ ID NO:2, or an amino acid sequence encoded by the DNA insert of the plasmid deposited with ATCC as Accession Number ______.
- 3. (Currently Amended) The nucleic acid molecule of <u>any one of</u> claims 1, 2, 24 and 25 further comprising vector nucleic acid sequences.
- 4. (Currently Amended) The nucleic acid molecule of claim + 3 further comprising nucleic acid sequences encoding a heterologous polypeptide.
- 5. (Currently Amended) A host cell which contains the nucleic acid molecule of claim ± 3 .
 - 6. (Original) The host cell of claim 5 which is a mammalian host cell.

7. (Currently Amended) A non-human The mammalian host cell of claim 6 which is non-human containing the nucleic acid molecule of claim 1.

Claims 8-11 (Cancelled).

- 12. (Currently Amended) A method for producing a polypeptide selected from the group consisting of:
- a) a polypeptide comprising the amino acid sequence of SEQ ID NO:2, or an amino acid sequence encoded by the DNA insert of the plasmid deposited with ATCC as Accession Number _____;
- b) a fragment of a polypeptide comprising the amino acid
 sequence of SEQ ID NO:2, or an amino acid sequence encoded by the DNA insert of the
 plasmid deposited with ATCC as Accession Number ______ wherein the fragment
 comprises at least 10 contiguous amino acids of SEQ ID NO:2, or the amino acid sequence
 encoded by the DNA insert of the plasmid deposited with ATCC as Accession Number
 ______; and
- c) a naturally occurring allelic variant of a polypeptide comprising the amino acid sequence of SEQ ID NO:2, or an amino acid sequence encoded by the DNA insert of the plasmid deposited with ATCC as Accession Number wherein the polypeptide is encoded by a nucleic acid molecule which hybridizes to a complement of a nucleic acid molecule comprising SEQ ID NO:1 or SEQ ID NO:3, under stringent conditions; comprising culturing a host cell harboring the nucleic acid molecule of claim 3 to express said polypeptide from said nucleic acid molecule and isolating said polypeptide from said host cells or culture media.

Claims 13-15 (Cancelled).

- 16. (Original) detecting the presence of a nucleic acid molecule in claim 1 in a sample comprising:
- a) contacting the sample with a nucleic acid probe or primer which selectively hybridizes to the nucleic acid molecule; and
- b) determining whether the nucleic acid probe or primer binds to a nucleic acid molecule in the sample to thereby detect the presence of a nucleic acid molecule of claim 1 in the sample.
- 17. (Original) The method of claim 16, wherein the sample comprises mRNA molecules and is contacted with a nucleic acid probe.

Claims 18-23 (Cancelled).

- 24. (New) The isolated nucleic acid molecule of claim 1 which comprises the nucleotide sequence of SEQ ID NO:3 or a complement thereof.
- 25. (New) The isolated nucleic acid molecule of claim 1 which encodes a polypeptide comprising the amino acid sequence of SEQ ID NO:2.
 - 26. (New) A host cell which contains the nucleic acid molecule of claim 4.
 - 27. (New) The host cell of claim 26 which is a mammalian host cell.

- 28. (New) The mammalian host cell of claim 27 which is non-human.
- 29. (New) A method for producing a polypeptide comprising culturing a host cell harboring the nucleic acid molecule of claim 4 to express said polypeptide from said nucleic acid molecule and isolating said polypeptide from said host cells or culture media.